International Journal of Pharmaceutics, 60 (1990) 261–262
Elsevier

Author Index

Abrahamsson, B., see Wingstrand, K. (60) 151
Al-Razzak, L.A. and Stella, V.J.
Stability and solubility of 2-chloro-2′,3′-dideoxyadenosine (60) 53

Barber, R.F. and Shek, P.N.
Tear-induced release of liposome-entrapped agents (60) 219
Barry, B.W., see Kadir, R. (60) 139
Bernabei, M.T., see Forni, F. (60) 83
Buckton, G., see Efentakis, M. (60) 229
Buckton, G., see Young, S.A. (60) 235
Bundgaard, H., see Mørk, N. (60) 163

Chang, R.-K., Iturrioz, G. and Luo, C.-W.
Preparation and evaluation of shellac pseudolatex as an aqueous enteric coating system for pellets (60) 171
Chowhan, Z.T., see Wang, L.-H. (60) 61
Christensen, S., see Mørk, N. (60) 163
Collier, P.S., see McClean, E. (60) 35
Cook, C.S., Hauswald, C.L., Grahn, A.Y., Kowalski, K., Karim, A., Koch, R., Schoenhard, G.L. and Oppermann, J.A.
Suitability of the dog as an animal model for evaluating theophylline absorption and food effects from different formulations (60) 125
Coppi, G., see Forni, F. (60) 83

Davis, S.S., Khosla, R., Wilson, C.G., Washington, N., Leslie, S.T. and Malkowska, S.
The gastrointestinal transit of a controlled release formulation of indomethacin (60) 191

Edgar, B., see Wingstrand, K. (60) 151
Efentakis, M. and Buckton, G.
Modelling drug release from hydrophobic matrices by use of thermodynamic activation parameters (60) 229

Fairbrother, J.E., see Kadir, R. (60) 139
Fee, J.P.H., see McClean, E. (60) 35
Fell, J.T., see Luangtana-Anan, M. (60) 197
Forni, F., Coppi, G., Vandelli, M.A. and Bernabei, M.T.
An interpretation of the diffusion-type mechanism of drug release from microcapsules (60) 83

Ghebre-Sellassie, I., see Yang, S.T. (60) 109
Goto, H., see Sugito, K. (60) 89
Grahn, A.Y., see Cook, C.S. (60) 125
Grislingaas, A.-L., see Tønnesen, H.H. (60) 157
Gu, L. and Strickley, R.G.
A profound solvent effect on the diketopiperazine formation of the new dipeptide angiotensin-converting enzyme inhibitor, Moexipril (60) 99
Guy, R.H. and Hadgraft, J.
On the determination of drug release rates from topical dosage forms (60) R1

Hadgraft, J., see Guy, R.H. (60) R1
Harper, M.I.A., see Taylor, R.B. (60) 185
Hauswald, C.L., see Cook, C.S. (60) 125
Hendriksen, B.A.
Characterization of calcium fenoprofen. 1. Powder dissolution rate and degree of crystallinity (60) 243
Higuchi, W.I., see Srinivasan, V. (60) 133
Hollingsbee, D.A., see Kadir, R. (60) 139

Iturrioz, G., see Chang, R.-K. (60) 171

Johnson,, T.S., see Monnot, E.A. (60) 41

Kadir, R., Barry, B.W., Fairbrother, J.E. and Hollingsbee, D.A.
Delivery of triamcinolone acetonide through human epidermis: Effect of Actiderm, a new hydrocolloid dermatological patch (60) 139
Karabit, M.S.
Studies on the evaluation of preservative efficacy. V. Effect of concentration of micro-organisms on the antimicrobial activity of phenol (60) 147
Karim, A., see Cook, C.S. (60) 125
Khosla, R., see Davis, S.S. (60) 191
Kindberg, C.G., see Monnot, E.A. (60) 41
Koch, R., see Cook, C.S. (60) 125
Kogure, T., see Sugito, K. (60) 89
Kojima, M., see Sasaki, H. (60) 177
Kowalski, K., see Cook, C.S. (60) 125

Leslie, S.T., see Davis, S.S. (60) 191
Low, A.S., see Taylor, R.B. (60) 185
Luangtana-Anan, M. and Fell, J.T.
Bonding mechanisms in tabletting (60) 197
Luo, C.-W., see Chang, R.-K. (60) 171

Malkowska, S., see Davis, S.S. (60) 191
Maruyama, Y., see Sugito, K. (60) 89
Matsuda, Y. and Tatsumi, E.
Physicochemical characterization of furosemide modifications (60) 11
McClean, E., Collier, P.S. and Fee, J.P.H.
The effect of formulation on the plasma binding and blood/plasma concentration ratio of diazepam (60) 35

0378-5173/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Mediratta, D.K., see Singla, A.K. (60) 27
Monnot, E.A., Kindberg, C.G., Johnson,, T.S., Riley, C.M., Stobaugh, J.F. and Slavik, M.
Stability of intravenous admixtures of 5-fluorouracil and spirogermanium, a novel combination of cytotoxic agents (60) 41
Moody, R.R., see Taylor, R.B. (60) 185
Mori, Y., see Sasaki, H. (60) 1
Mori, Y., see Sasaki, H. (60) 177
Mørk, N., Bundgaard, H., Shalmi, M. and Christensen, S.
Furosemide prodrugs: synthesis, enzymatic hydrolysis and solubility of various furosemide esters (60) 163

Nakamura, J., see Sasaki, H. (60) 1
Nakamura, J., see Sasaki, H. (60) 177
Noguchi, M., see Sugito, K. (60) 89

Ochekpe, N.A., see Taylor, R.B. (60) 185
Ogata, H., see Sugito, K. (60) 89
Oppermann, J.A., see Cook, C.S. (60) 125

Pathak, K., see Singla, A.K. (60) 27
Permentier, D., see Vermeersch, H. (60) 253
Pikal, M.J., Shah, S., Roy, M.L. and Putman, R.
The secondary drying stage of freeze drying: drying kinetics as a function of temperature and chamber pressure (60) 203
Putman, R., see Pikal, M.J. (60) 203

Remon, J.P., see Vermeersch, H. (60) 253
Riley, C.M., see Monnot, E.A. (60) 41
Roy, M.L., see Pikal, M.J. (60) 203

Sasaki, H., Kojima, M., Mori, Y., Nakamura, J. and Shibasaki, J.
Enhancing effect of pyrrolidone derivatives on transdermal drug delivery. II. Effect of application concentration and pre-treatment of enhancer (60) 177
Sasaki, H., Takahashi, T., Mori, Y., Nakamura, J. and Shibasaki, J.
Transdermal delivery of 5-fluorouracil and its alkylcarbamoyl derivatives (60) 1
Sasaki, Y., see Sugito, K. (60) 89
Schacht, E., see Vermeersch, H. (60) 253
Schoenhard, G.L., see Cook, C.S. (60) 125
Shah, S., see Pikal, M.J. (60) 203
Shalmi, M., see Mørk, N. (60) 163
Shek, P.N., see Barber, R.F. (60) 219
Shibasaki, J., see Sasaki, H. (60) 1
Shibasaki, J., see Sasaki, H. (60) 177
Singla, A.K., Mediratta, D.K. and Pathak, K.
Bioavailability of indomethacin from zinc-indomethacin complex (60) 27
Slavik, M., see Monnot, E.A. (60) 41
Srinivasan, V. and Higuchi, W.I.
A model for iontophoresis incorporating the effect of convective solvent flow (60) 133
Stella, V.J., see Al-Razzak, L.A. (60) 53
Stobaugh, J.F., see Monnot, E.A. (60) 41
Strickley, R.G., see Gu, L. (60) 99
Sugito, K., Ogata, H., Goto, H., Noguchi, M., Kogure, T., Takano, M., Maruyama, Y. and Sasaki, Y.
Gastrointestinal transit of non-disintegrating solid formulations in humans (60) 89

Takahashi, T., see Sasaki, H. (60) 1
Takano, M., see Sugito, K. (60) 89
Tatsumi, E., see Matsuda, Y. (60) 11
Taylor, R.B., Moody, R.R., Ochekpe, N.A., Low, A.S. and Harper, M.I.A.
A chemical stability study of proguanil hydrochloride (60) 185
Tønnesen, H.H. and Grislingaas, A.-L.
Photochemical stability of biologically active compounds. II. Photochemical decomposition of mefloquine in water (60) 157

Vandelli, M.A., see Forni, F. (60) 83
Vermeersch, H., Remon, J.P., Permentier, D. and Schacht, E.
In vitro antitrichomonal activity of water-soluble prodrug esters of metronidazole (60) 253

Wang, L.-H. and Chowhan, Z.T.
Drug-excipient interactions resulting from powder mixing. V. Role of sodium lauryl sulfate (60) 61
Washington, N., see Davis, S.S. (60) 191
Wilson, C.G., see Davis, S.S. (60) 191
Wingstrand, K., Abrahamsson, B. and Edgar, B.
Bioavailability from felodipine extended-release tablets with different dissolution properties (60) 151

Yang, S.T. and Ghebre-Sellassie, I.
The effect of product bed temperature on the microstructure of Aquacoat-based controlled-release coatings (60) 109
Young, S.A. and Buckton, G.
Particle growth in aqueous suspensions: the influence of surface energy and polarity (60) 235